

Reliable Prints in High Volume

Brilliant Colours, Compact Size







DCP-T430W / T436W

- Print I Scan I Copy Value for money
- Simple UI
- Wireless & mobile print



DCP-T530DW

- Print I Scan I Copy
- Value for money
 User friendly LCD panel
 Duplex function
- Wireless & Mobile print



Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%** of the space needed, plus our **front loading paper tray**, you can now place our printer anywhere orderly.

No wires, just family fun!

Experience hassle-free printing! Our wireless printer* lets you print straight from your smartphone, so you can share family memories and important documents without a computer.

Thoughtful functions for your family

We prioritize your printing experience! Our printer features a **plug-and-play design** for quick setup, **easy-to-use buttons**, and a **clear display panel**⁺ for effortless navigation. Plus, our **spill-free refill technology** means you can change ink without the hassle—printing has never been this simple!















DCP-T730DW

- Print I Scan I Copy
- Value for money
- User friendly LCD panel Duplex function
- Convenient Automatic Document feeder









- Print | Scan | Copy | Fax
- Cost efficiency
 Convenient 1.8" colour LCD
 Duplex function
- Convenient Automatic Document feeder
- 80 sheets multi-purpose tray





Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5+, A6+, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that elevate your business.

Engineered for work success

Our printer is engineered for business success, offering features like convenient **shortcut keys*** for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With ADF scanning* for up to 20 sheets at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

Print on the go workflow

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email+!



Specifications

	DCP-T430W	DCP-T436W	DCP-T530DW
unctions		Print, Scan, Copy	1
ENERAL			
emory		128MB	
splay	LED		1-Line LCD (16 characters) (except for Taiwan) 1-Line LCD (20 characters) (for Taiwan)
achine Color	Black	White	Black
OLOUR PRINT FUNCTION			
int Speed (ESAT) ^(f)	Up to 16.0 ipm (mono) and 9.0 ipm (colour)		
rint Speed (Eco Mode)	Up to 27.0 ppm (mono) and 11.0 ppm (colour)		
irst Print Out Time(ii) (FPOT)	Up to 6.2 sec (mono) and 9.6 sec (colour)		
rint Resolution	· · · · · · · · · · · · · · · · · · ·	Up to 1,200 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (N	
-Sided Print	Manual (Up to A		Automatic (Up to A4 / LTR)
orderless Printing		Yes	
COLOUR COPY FUNCTION		United Advices	
laximum Copy Size		Up to A4 / LTR	
copy Speed (ESAT/sESAT) copy Speed (FCOT)(*)		Up to 11.0 ipm (mono) and 3.5 ipm (colour)(iii)	
Copy Speed (FCOT)(*)	Up to 13.0 sec (mono) and 28.5 sec (colour)		
Enlargement / Reduction Ratio	25% - 400% in 1% incremen	1,200 x 1,800 dpi	25% - 400% in 1% increments
I in 1 Copy	2-in-1 / 2-in-1 (ID) / 4-in-1		2-in-1 / 2-in-1 (ID) / 4-in-1
COLOUR SCAN FUNCTION	2 11 17 2 11 1 (15)7 4 11 1	(via riemote copy)	2 11 17 2 11 1 (13) 7 4 11 1
Maximum Scan Size		Up to A4 / LTR	
can Resolution	Optical: Up to 1,200 x 2,400 dpi Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10 / 1 1 with TWAIN)		
scan Speed (@ 100 dpi)	From scanner FB: 3.35 sec / 4.38 sec (mono / color)		
Scan To" Feature	Image, OCR, Email, File		
ONNECTIVITY/NETWORKING			
nterface	High Speed USB 2.0, Wireless Direct(viii),	Wireless Lan (2.4GHz / 5.0GHz)	High Speed USB 2.0,WiFi-Direct, Wireless Lan (2.4 GHz / 5.0 GHz)
Mobile Solutions	Brother Mobile Connect App (for Android / iOS / Harmony OS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)		
Desktop Solutions	iPrint&Scan Desktop App		
Email Print		Yes	
PAPER HANDLING			
Paper Input Standard Tray)	Up to 150-sheets (80 g/m²)		
Paper Input Manual Feed Slot)	1 Sheet		
Paper Output		Up to 50-sheets (up to A4)	
Automatic Document Feeder	AA ITD LOL E-IV- EVE 15 10 50 1 (100 150 150 150 150 150 150 150 150 150	NA	70 (57)\ OF Faucher 0 10 5: 7
Paper Handling Sizes Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.)		
Paper Handling Sizes Manual Feed Slot)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.)		
Media Type Standard Tray)	Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]		
Media Type Manual Feed Slot)	Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²]		
SUPPORTED OS AND SOFTWA	RE		
Supported Operating Systems ^(xii)	Windows: 10 / 11 , macOS ^(x) v12 / 13 / 14 , Linu:	x OS , Chrome OS , Unity OS , Kylin OS	Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS [™] v12 / 13 / 14 , Linux OS , Chrome OS , Unity OS , Kylin OS
Management Tools		BRAdmin Light ^(x) , EWS	i
UPPLIES			
	BTD100 BK ⁻ Approximate Vield 7.5	600 A4 pages (1 Extra Black Ink Bottle included for D0	CP-T535DW and MFC-T935DW only)
nk Bottle ^(xi)	212 100 Br. Approximate Held 7,3	600 A4 pages (1 Extra Black Ink Bottle included for DC BTD100 C/M/Y: Approximate Yield 5,000 A4 pages	5
IK BOttle	V HEICHT (MEICHT)]		
	X HEIGHT (WEIGHT)]		
DIMENSIONS [WIDTH X DEPTH	390mm x 343mm x 14	8.5mm (6.3kg)	390mm x 343mm x 148.5mm (7.2kg)
DIMENSIONS [WIDTH X DEPTH		i8.5mm (6.3kg)	390mm x 343mm x 148.5mm (7.2kg)

- For more information, please refer to www.brother.com/rd/printspeed.

 Based on ISO/IEC 29183 for models without Automatic Document Feeder.

 For more information, please refer to www.brother.com/rd/printspeed.
- Based on ISO/IEC 24735 for models with Automatic Document Feeder only. For more information, please refer to www.brother.com/rd/printspeed.
 Based on ISO/IEC 24735 Annex D.

- (viii) function to connect a machine and a mobile device.
- driver is not provided.

 Not supported on Mac and Linux.

 Available for download at http://support.brother.com.
- (xii) For the latest driver updates, visit http://support.brother.com For printing and scanning from Mac, use AirPrint or download iPrint&Scan


 Desktop App from Mac App Store. For printing on Brother iPrint&Scan
 application, it supports PDF/JPG/BMP and PNG file format only. MacOS

 Way 10 trained and unique properties, view in the buttles of ink bottles. Quoted approx. Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
 - Size reduction compared to predecessor T720 model.
 For selected models only.

Specifications

		1979	
	DCP-T730DW	MFC-T930DW	
Functions	Print, Scan, Copy	Print, Scan, Copy, Fax	
GENERAL	10	2015	
Memory Display	1-Line LCD (16 characters)	MB 1.8" Colour LCD	
Machine Color	,	ack	
COLOUR PRINT FUNCTION			
Print Speed (ESAT) ⁽ⁱ⁾	Up to 16.0 ipm (mono) and 15.5 ipm (colour)	Up to 17.0 ipm (mono) and 16.5 ipm (colour)	
Print Speed (Eco Mode) First Print Out Time(II) (FPOT)	Up to 27.0 ppm (mono) and 23.0 ppm (colour) Up to 6.2 sec (mono) and 6.5 sec (colour)	Up to 30.0 ppm (mono) and 26.0 ppm (colour) Up to 6.0 sec (mono) and 6.5 sec (colour)	
Print Resolution) x 6,000 dpi	
2-Sided Print	Automatic (Up to A4 / LTR)		
Borderless Printing	Yı	es	
COLOUR COPY FUNCTION			
Maximum Copy Size Copy Speed (ESAT/sESAT)	Up to 11.0 ipm (mono) and 8.0 ipm (colour) ^(h)	\(\frac{4 \ LTR}{\text{Up to 13.0 ipm (mono) and 10.5 ipm (colour)}\(\text{\text{\text{(oolour)}}\(\text{\text{\text{(oolour)}}\(\text{\text{\text{(oolour)}}\(\text{\text{\text{(oolour)}}\(\t	
Copy Speed (EGAT/SEGAT)	Up to 13.0 sec (mono) and 25.0 sec (colour)	Up to 10.5 sec (mono) and 21.0 sec (colour)	
Copy Resolution	1,200 x 2,400 dpi		
Enlargement / Reduction Ratio	25% - 400% in 1% increments		
N in 1 Copy	2-in-1 / 2-in-	1 (ID) / 4-in-1	
COLOUR SCAN FUNCTION Maximum Scan Size	Un to 4	v4/LTR	
Scan Resolution		ter Lin (ADF: Up to 1,200 x 600 dpi) tpi (For Windows 10 / 11 with TWAIN)	
Scan Speed (@ 100 dpi)		tpi (For Windows 10 / 11 with TWAIN) cc / 4.38 sec (mono / color)	
"Scan To" Feature	Image, OCR, Email, File	Image, OCR, Email, File, USB memory	
FAX FUNCTION	<u>g</u> .,,	,g., ,	
Maximum Fax Size	NA	A4, LTR, LEGAL (with ADF)	
Modem Speed	NA	14.4kbps	
Memory Transmission ^(vi) / Out of Paper Reception ^(vi)	NA	Up to 170 pages	
Speed Dials	NA	40	
Group Dials PC-Fax (Mono)	NA NA	Up to 6 groups Sending & Receiving ^(vii)	
CONNECTIVITY/NETWORKING		Conding a receiving	
Interface	High Speed USB 2.0, WiFi-Direct, Wireless Lan (2.4 GHz / 5.0 GHz)	High Speed USB 2.0, WiFi-Direct, Wireless Lan (2.4 GHz / 5.0 GHz), Ethernet	
Mobile Solutions		AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)	
Desktop Solutions Email Print		Desktop App	
Brother's Cloud Apps	NA NA	Yes	
WebConnect	NA		
PAPER HANDLING		Yes	
Paper Input (Standard Tray)		Yes	
Paper Input (Manual Feed Slot)	Up to 150-sh	Yes eets (80g/m²)	
	Up to 150-sh		
Paper Input (Multi-Purpose Tray)		eets (80g/m²)	
Paper Input (Multi-Purpose Tray) Paper Output	1 Sheet NA Up to 50-she	eets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4)	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder	1 Sheet NA Up to 50-she Up to 20-she	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) sets (80g/m²)	
Paper Input (Multi-Purpose Tray) Paper Output	1 Sheet NA Up to 50-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L	eets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4)	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes	1 Sheet NA Up to 50-she Up to 20-she	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) sets (80g/m²)	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes	1 Sheet NA Up to 50-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal,	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) sets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.)	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray)	1 Sheet NA Up to 50-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/ 5x8*), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Tyoe	1 Sheet NA Up to 50-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) eets (up to A4) eets (80g/m²) 1/5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.)	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Standard Tray) Media Type (Standard Tray)	1 Sheet NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), F	eets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) pets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot)	1 Sheet NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), S Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), F Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (88x127mm / 3x55"), Mexico Legal, India Legal ("Hit and TWN support B5 (JIS) / B6 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) Supported Operating Systems ⁽⁶⁾ Supported Operating Systems ⁽⁶⁾	NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Mexico Legal, India Legal (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ N	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (8x127mm / 3x55), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) Supported Operating Systems ^(M) Management Tools	NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Mexico Legal, India Legal (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ N	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal Noto-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (88x127mm / 3x55"), Mexico Legal, India Legal ("Hit and TWN support B5 (JIS) / B6 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽³⁶⁾ Management Tools SUPPLIES	1 Sheet NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS® x BRAdmin L	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) sets (80g/m²) 1/5x8*), Photo-2L (127x178mm / 5x7*), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6*), Indexcard (127x203mm / 5x8*), Photo-2L (127x178mm / 5x7*), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6*), Indexcard (127x203mm / 5x8*), Photo-L (83x127mm / 3.5x5*), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽⁵⁰⁾ Management Tools SUPPLIES Ink Bottle ⁽⁵⁰⁾	NA Up to 50-she Up to 20-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), F Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ N BRAdmin L BTD100 BK: Approximate Yield 7,500 A4 pages (1 Extra Black BTD100 C/M/Y: Approxim	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (8x127mm / 3x55), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²]	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽²⁰⁾ Management Tools SUPPLIES Ink Bottle ⁽³⁾ DIMENSIONS [WIDTH X DEPTI	NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ v BRAdmin L BTD100 BK: Approximate Yield 7,500 A4 pages (1 Extra Black BTD100 C/M/Y: Approxim X HEIGHT (WEIGHT)]	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-12 (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-12 (8x8127mm / 3x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²] v12 / 13 / 14, Linux OS, Chrome OS, Unity OS, Kylin OS ight'®, EWS Link Bottle included for DCP-T535DW and MFC-T935DW only) nate Yield 5,000 A4 pages	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽⁵⁰⁾ Management Tools SUPPLIES Ink Bottle ⁽⁵⁰⁾	NA Up to 50-she Up to 20-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), F Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ N BRAdmin L BTD100 BK: Approximate Yield 7,500 A4 pages (1 Extra Black BTD100 C/M/Y: Approxim	NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) sets (80g/m²) 1/5x8*), Photo-2L (127x178mm / 5x7*), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6*), Indexcard (127x203mm / 5x8*), Photo-2L (127x178mm / 5x7*), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (88x127mm / 3x5*), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²] v12 / 13 / 14 , Linux OS , Chrome OS , Unity OS , Kylin OS ight [©] , EWS	
Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Media Type (Multi-Purpose Tray) Supported Operating Systems ^(a) Management Tools SUPPLIES Ink Bottle ^(a) DIMENSIONS [WIDTH X DEPTHWithout Carton	NA Up to 50-she Up to 20-she Up to 20-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm Photo-L (89x127mm / 3.5x5"), Mexico Legal, India L A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L (89x127mm / 3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-300g/m²] NA RE Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS™ v BRAdmin L BTD100 BK: Approximate Yield 7,500 A4 pages (1 Extra Black BTD100 C/M/Y: Approxim X HEIGHT (WEIGHT)]	neets (80g/m²) NA 80 Sheets (Plain Paper - 80g/m²), 20 Sheets (Glossy Paper) ets (up to A4) eets (80g/m²) 1/ 5x8"), Photo-2L (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-12 (127x178mm / 5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, egal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) NA A4, LTR, LGL, Folio, EXE, A5, A6, Photo (102x152mm / 4x6"), Indexcard (127x203mm / 5x8"), Photo-12 (8x8127mm / 3x5"), Mexico Legal, India Legal ("HK and TWN support B5 (JIS) / B6 (JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.) Recycled [Media weight 64-220g/m²] NA Plain, Inkjet, Glossy (cast / resin), Recycled [Media weight 64-220g/m²] v12 / 13 / 14, Linux OS, Chrome OS, Unity OS, Kylin OS ight'®, EWS Link Bottle included for DCP-T535DW and MFC-T935DW only) nate Yield 5,000 A4 pages	

Machine life is based on either page count or year tallied, whichever comes first and is based on printer usage under following conditions. Printer setting: Default settings for all, Media type: Plain paper, Print pattern: ISO/IEC 24712, Environment: Normal temperature and humidity. Measurements are taken based on Brother's internal testing environment. Data for waste ink pad is based on measurement with assumed monthly usage of 50 to 1,000 pages. To maintain product's quality, the waste ink pad needs to be replaced before reaching page count or year limit depending on the environment and printer models.





Working with you for a better environment www.brotherearth.com

www.brother.com.hk



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.



Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother International Corporation, Japan.

All other trademarks are the property of their respective owners. All images are for illustrative purpose only.