

# ENHANCING BUSINESS PERFORMANCE

WITH ELEVATED CAPABILITIES



MONOCHROME LASER PRINTERS

# Designed for Reliability & Efficiency

Brother's range of monochrome laser printers help you to drive greater productivity for your enterprise.

## ENHANCED EFFICIENCY for seamless, productive workflows



### FAST PRINT SPEEDS

Tackle ad-hoc print jobs easily with a print speed of up to **50 ppm**<sup>\*1</sup> (A4/LTR) and an impressive First Print Out Time of **under 6.7 seconds**.



### AUTO DOCUMENT FEEDER<sup>\*1</sup>

Enhance print productivity with the Auto Document Feeder that supports up to **70 sheets (A4/LTR or LGL)** for print, copy and scan jobs in batches.



### SCAN FUNCTIONS<sup>\*1</sup>

Directly upload original scanned documents to the **cloud, e-mail servers or designated networks** with Scan To functions.



### WIRELESS CAPABILITIES<sup>\*1</sup>

Print **wirelessly** and connect to mobile solutions effortlessly.



### LCD TOUCHSCREEN<sup>\*1</sup>

Displays information with clarity using a **seamless interface** that allows for **intuitive navigation**.

## RELIABILITY that maximises print performance



### HIGH PRINT VOLUME

Maximise performance with high paper input capacities of up to **1,040 sheets** and save time on reloading.



### ROBUST SECURITY

Features such as **Secure Function Lock** and **Secure Print** safeguard print jobs and other functions against unauthorised user access.

## COST-SAVING with high-yield printing & scanning



### HIGH-YIELD TONER CARTRIDGES

Each toner cartridge supports more than **18,000 pages**<sup>\*\*1</sup> worth of prints, reducing overall printing costs and maintenance downtime.



### AUTO DUPLEX PRINT & DUPLEX SCAN<sup>\*1</sup>

Utilises **double-sided printing and scanning**, saving on total operating costs.



### 5-INCH<sup>\*1</sup> LCD TOUCHSCREEN

Features an intuitive, **fully customisable** interface.



### MULTI-PURPOSE TRAY

Easily load the **front-access** multi-purpose tray that holds up to **100 sheets** of paper with a maximum weight of 230gsm.



### LOWER TRAY

Stores up to a combined total of 1,040 sheets, equivalent to three full rims of paper.



### AUTO DOCUMENT FEEDER

Supports **double-sided scanning** of A4 sheets in **just one pass**.



### CUT-OUT DESIGN

Makes accessing and retrieving documents easy.




### FRONT ACCESS DESIGN

Enables **effortless toner cartridge replacement** for greater convenience.



### STANDARD PAPER INPUT TRAY

Supports up to **250 sheets**, maximising printer uptime without the need for frequent paper top-ups.



**DCP-L5510DN**

<sup>\*1</sup> For selected models only.

<sup>\*\*1</sup> In accordance with ISO/IEC 19752.

Images shown are for illustration purposes only.

# Corporate Solutions

## BRADMIN centralising information for easier management at no cost

Oversee your network-connected Brother devices through an easily accessible centralised platform with the **BRAdmin Professional 4 Application**.

- ✓ Experience greater visibility and management of your machines.
- ✓ Easily configure printer settings for enhanced access security and device protection.
- ✓ Save time and money through automation features and zero-cost printer management software.

## SECURITY FEATURES secure important data and documents

Protect your data efficiently with a multitude of security features.

### SECURE PRINT

Safeguard important documents by restricting print access to classified/important documents with a unique PIN code by any user.

### SECURE PRINT+

Protect and print important confidential business documents securely by making sure the user is present to retrieve documents via a unique PIN code or NFC card.

### SETTING LOCK


Prevents printer settings from being altered without entering the right password.

### CLOUD SECURE PRINT

Allows for secure and remote printing without the need to connect to a corporate network.

## CUSTOM UI<sup>1</sup> adapts to your business requirements

Meet specific needs for your business by customising your Brother printer's user interface. Various visual elements like buttons, text and backgrounds can be altered for **time-saving accessibility** and **easier user operation**. Furthermore, the **Brother Solutions Interface (BSI)** allows for seamless integration of modifications into business processes for greater efficiency.



### INFORMATION REPLACEMENT

Customise your user interface by inserting any information you need, from service data to general information to simply adding your company logo to the background.

### BUTTON CUSTOMISATION

Icons and functions can also be customised to meet your needs. Logos, text and functions are easily adjustable to provide clearer access to important functions.

### WORKFLOW INTEGRATION

The Brother Solutions Interface (BSI) allows for the storage of interface changes, allowing for seamless integration into company processes for greater efficiency.

Searching for a solution to redefine business performance should be seamless and intuitive. Understanding the needs of the modern workplace, Brother streamlined all the key technologies into this series of Monochrome Laser Printers.

Look no further, meet enhanced business performance needs with Brother.



For illustration purposes.  
Printer model number MFC-L5915DW.

# Accessories



**LT5505**  
250-sheet Lower Tray



**LT6505**  
520-sheet Lower Tray

# Toner



**TN-3608**  
Standard Yield Toner  
3,000 pages



**TN-3608XL**  
High Yield Toner  
6,000 pages



**TN-3608XXL**  
Super-high Yield Toner  
11,000 pages



**TN-3618**  
Ultra-high Yield Toner  
18,000 pages



**DR3608**  
Drum  
45,000 pages (1 pg/job)  
75,000 pages (3 pgs/job)

# MFC Series (Print, Scan, Copy & Fax)



**MFC-L5710DN**



**MFC-L5710DW**



**MFC-L5915DW**

# DCP Series (Print, Scan & Copy)



**DCP-L5510DN**



**DCP-L5660DN**

# HL Series (Print Only)



**HL-L5210DN**



**HL-L5210DW**



**HL-L6210DW**

MFC Series	MFC-L5710DN	MFC-L5710DW	MFC-L5915DW
Description	4-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Network Connectivity	4-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Wireless Connectivity	
<b>KEY FUNCTIONS</b>	<b>Print, Scan, Copy &amp; Fax</b>		
Print Speed (A4/Letter)	Up to 48/50 ppm (Quiet Mode: Up to 25/26 ppm)		Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm)
Print Resolution	Up to 1200 x 1200 dpi		
First Print Out Time (Ready)	Less than 6.7 secs		
2-sided Feature	Automatic Duplex Printing, Auto Duplex Copy, Duplex Scan		
Print Language (Emulation)	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0		
<b>COPY FUNCTIONS</b>			
Copy Speed (A4/Letter)	Up to 48/50 ppm (Quiet Mode: Up to 25/26 ppm)		Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm)
Copy Resolution	Max. 1200 x 600 dpi		
Reduction / Enlargement Ratio	25% - 400% in 1% increments		
Copy Features	N in 1		
<b>SCAN FUNCTIONS</b>			
Scan Speed (Mono/Colour) <sup>1</sup>	28/20 ipm		
Dual Scanner (Method)	One-Pass Scanning ADF (Dual CIS)		
Resolution (Optical/Interpolated)	Max. 1200 x 1200 dpi / Max. 19,200 x 19,200 dpi		
Scan To Functions	Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, FTPS, SFTP, Network (Windows only), USB		
<b>FAX FUNCTIONS</b>			
Modem Speed	33,600 bps (Fax)		
Transmission Speed	Approx. 2.5 sec. (ITU-T Test Chart Document No.1, Standard Resolution, JBIG)		
Memory Transmission/Out-of-paper Reception	Up to 500 pages (ITU-T Test Chart Document No.1, Standard Resolution, JBIG)		
Speed Dial	300 locations		
Group Dial	20 locations		
Broadcasting	350 locations		
PC Faxing	Receive: Windows Send: Windows, Mac (AirPrint), Linux (LPR/CUPS PC-FAX Send Driver)		
<b>CONNECTIVITY / NETWORKING</b>			
Interface	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T)	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz)	
USB Direct Print	Yes		
Mobile Solutions	AirPrint, Mopria, Brother Mobile Connect		
Desktop Solutions	Brother iPrint&Scan		
WebConnect	Yes		
<b>PAPER HANDLING</b>			
Input Tray (Standard)	250 sheets		
Multi-Purpose Tray / Manual Slot	100 sheets		
Output Tray (Face Down)	150 sheets		
Optional Input Paper Tray	250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets)		
Automatic Document Feeder (ADF)	50 sheets (A4/LTR)	70 sheets (A4/LTR)	
Media Weights <sup>2</sup>	Standard Tray: 60 to 163 g/m <sup>2</sup> (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m <sup>2</sup> (16 to 60 lb)		
Media Size (Standard Tray)	A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K		
<b>OTHERS</b>			
Processor Speed	Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz		
Memory	ASA: 1 GB TWN: 512 MB	GULF: 1 GB KOR: 1 GB	ASA: 1 GB IND: 2 GB
Display	3.5" TFT ColorLCD		
OS Compatibility	Windows : Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux : CUPS, LPD/LPRng (x86/x64 environment)		
Utilities & Solutions	BRAdmin LIGHT, BRAdmin Professional 4		
Security Features	Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock		
Power Consumption <sup>3</sup>	Printing Average: Approx. 670 W (TWN: 680 W) Sleep Mode Average: Approx. 5.9 W	Printing Average: Approx. 670 W Sleep Mode Average: Approx. 5.9 W	Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W
Power Source	220 - 240 V (TWN: 110 - 120 V) AC 50/60 Hz (TWN: AC 50/60 Hz) 5.3 A (TWN: 10.6 A)	220 - 240 V AC 50/60 Hz 5.3 A	
Noise Level (Printing) <sup>4</sup>	LpAm = 54.0 dB(A)		
<b>SUPPLIES</b>			
Standard-Yield Toner (*Toner name) <sup>5</sup>	Approx. 3,000 pages	TN-3608	
High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 6,000 pages	TN-3608XL	
Super High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 11,000 pages	TN-3608XLL	
Ultra High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 18,000 pages	TN-3618	
Drum	Approx. 45,000 pages (1 page/job)	DR-3608	
	Approx. 75,000 pages (3 pages/job)		
<b>DIMENSIONS AND WEIGHT</b>			
Dimensions (W x D x H)	417 x 461 x 448 mm		495 x 473 x 486 mm
Weight w/o Carton & Toner/Drum	14.9 kg		15.9 kg

<sup>1</sup> In accordance with ISO/IEC17991.

<sup>2</sup> Half speed and straight paper output with more than 105 g/m<sup>2</sup> (28 lb).

<sup>3</sup> Measured when the machine is connected with the same network connection as the ENERGY STAR Ver. 3.1 test method.

<sup>4</sup> In accordance with ISO7779.

<sup>5</sup> In accordance with ISO/IEC 19752.

DCP Series	DCP-L5510DN	DCP-L5660DN
Description	3-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Network Connectivity	
<b>KEY FUNCTIONS</b>	<b>Print, Scan &amp; Copy</b>	
Print Speed (A4/Letter)	Up to 48/50 ppm (Quiet Mode: Up to 25/26 ppm)	
Print Resolution	Up to 1200 x 1200 dpi	
First Print Out Time (Ready)	Less than 6.7 secs	
2-sided Feature	Automatic Duplex Printing	Automatic Duplex Printing, Auto Duplex Copy, Duplex Scan
Print Language (Emulation)	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0	
<b>COPY FUNCTIONS</b>		
Copy Speed (A4/Letter)	Up to 48/50 ppm (Quiet Mode: Up to 25/26 ppm)	
Copy Resolution	Max. 1200 x 600 dpi	
Reduction / Enlargement Ratio	25% - 400% in 1% increments	
Copy Features	N in 1	
<b>SCAN FUNCTIONS</b>		
Scan Speed (Mono/Colour) <sup>1</sup>	28/20 ipm	
Dual Scanner (Method)	Duplex Scanning ADF (CIS)	One-Pass Scanning ADF (Dual CIS)
Resolution (Optical/Interpolated)	Max. 1200 x 1200 dpi / Max. 19,200 x 19,200 dpi	
Scan To Functions	Sharepoint, Email, Email Server, Image, OCR, File, FTP, FTPS, SFTP, Network (Windows only), USB	
<b>CONNECTIVITY / NETWORKING</b>		
Interface	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T)	
USB Direct Print	Yes	
Mobile Solutions	AirPrint, Mopria, Brother Mobile Connect	
Desktop Solutions	Brother iPrint&Scan	
WebConnect	Yes	
<b>PAPER HANDLING</b>		
Input Tray (Standard)	250 sheets	
Multi-Purpose Tray / Manual Slot	100 sheets	
Output Tray (Face Down)	150 sheets	
Optional Input Paper Tray	250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets)	
Automatic Document Feeder (ADF)	50 sheets (A4/LTR)	70 sheets (LGL)
Media Weights <sup>2</sup>	Standard Tray: 60 to 163 g/m <sup>2</sup> (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m <sup>2</sup> (16 to 60 lb)	
Media Size (Standard Tray)	A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K	
<b>OTHERS</b>		
Processor Speed	Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz	
Memory	ASA: 1 GB GULF: 512 MB IND: 2 GB	2 GB
Display	3.5" TFT ColorLCD	
OS Compatibility	Windows : Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux : CUPS, LPD/LPRng (x86/x64 environment)	
Utilities & Solutions	BRAdmin LIGHT, BRAdmin Professional 4	
Security Features	Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock	
Power Consumption <sup>3</sup>	Printing Average: Approx. 670 W Sleep Mode Average: Approx. 5.9 W	
Power Source	220 - 240 V AC 50/60 Hz 5.3 A	
Noise Level (Printing) <sup>4</sup>	LpAm = 54.0 dB(A)	
<b>SUPPLIES</b>		
Standard-Yield Toner (*Toner name) <sup>5</sup>	Approx. 3,000 pages	TN-3608
High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 6,000 pages	TN-3608XL
Super High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 11,000 pages	TN-3608XLL
Ultra High-Yield Toner (*Toner name) <sup>5</sup>	Approx. 18,000 pages	TN-3618
Drum	Approx. 45,000 pages (1 page/job)	DR-3608
	Approx. 75,000 pages (3 pages/job)	
<b>DIMENSIONS AND WEIGHT</b>		
Dimensions (W x D x H)	417 x 461 x 448 mm	495 x 460 x 486 mm
Weight w/o Carton & Toner/Drum	14.9 kg	15.5 kg

<sup>1</sup> In accordance with ISO/IEC17991.

<sup>2</sup> Half speed and straight paper output with more than 105 g/m<sup>2</sup> (28 lb).

<sup>3</sup> Measured when the machine is connected with the same network connection as the ENERGY STAR Ver. 3.1 test method.

<sup>4</sup> In accordance with ISO7779.

<sup>5</sup> In accordance with ISO/IEC 19752.

HL Series	HL-L5210DN	HL-L5210DW	HL-L6210DW
Description	Automatic 2-sided Monochrome Laser Printer with Network Connectivity	Automatic 2-sided Monochrome Laser Printer with Wireless Connectivity	
<b>KEY FUNCTIONS</b>		<b>Print only</b>	
Print Speed (A4/Letter)	Up to 48/50 ppm (Quiet Mode: Up to 25/26 ppm)		Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm)
Print Resolution	Up to 1200 x 1200 dpi		
First Print Out Time (Ready)	Less than 6.7 secs		
2-sided Feature	Automatic Duplex Printing		
Print Language (Emulation)	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0		
<b>CONNECTIVITY / NETWORKING</b>			
Interface	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T)	USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz)	
Mobile Solutions	AirPrint, Mopria, Brother Mobile Connect		
Desktop Solutions	Brother iPrint&Scan		
<b>PAPER HANDLING</b>			
Input Tray (Standard)	250 sheets		520 sheets
Multi-Purpose Tray / Manual Slot	100 sheets		
Output Tray (Face Down)	150 sheets		
Optional Input Paper Tray	250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets)		250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs or 250 sheets x 3 pcs (Max. 1,040 sheets)
Media Weights*1	Standard Tray: 60 to 163 g/m <sup>2</sup> (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m <sup>2</sup> (16 to 60 lb)		
Media Size (Standard Tray)	A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K		
<b>OTHERS</b>			
Processor Speed	Main: Cortex-A53, 1.2GHz Dual Core Sub: ARM946 150MHz		
Memory	ASA: 1 GB GULF: 512 MB KOR: 512 MB TWN: 512 MB IND: 1 GB	ASA: 1 GB GULF: 512 MB KOR: 512 MB IND: 1 GB	ASA: 1 GB GULF: 1 GB
Display	16 characters x 1 line		
OS Compatibility	Windows : Win10 / Win11 / Server 2012 / 2012R2 / 2016 / 2019 / 2022 Linux : CUPS, LPD/LPRng (x86/x64 environment)		
Utilities & Solutions	BRAdmin LIGHT, BRAdmin Professional 4		
Security Features	Secure Function Lock, Secure Print, Setting Lock		
Power Consumption (Printing/Sleep) <sup>2</sup>	Printing Average: Approx. 670 W (TWN: 680 W) Sleep Mode Average: Approx. 5.5 W (TWN: 5.3 W)	Printing Average: Approx. 670 W Sleep Mode Average: Approx. 5.5 W	Printing Average: Approx. 710 W Sleep Mode Average: Approx. 5.5 W
Power Source	220 - 240 V (TWN: 110 - 120 V) AC 50/60 Hz 5.3 A (TWN: AC 50/60 Hz 10.6 A)	220 - 240 V AC 50/60 Hz 5.3 A	
Noise Level (Printing) <sup>3</sup>	LpAm = 54.0 dB(A)		
<b>SUPPLIES</b>			
Standard-Yield Toner (*Toner name) <sup>4</sup>	Approx. 3,000 pages	TN-3608	
High-Yield Toner (*Toner name) <sup>4</sup>	Approx. 6,000 pages	TN-3608XL	
Super High-Yield Toner (*Toner name) <sup>4</sup>	Approx. 11,000 pages	TN-3608XXL	
Ultra High-Yield Toner (*Toner name) <sup>4</sup>	Approx. 18,000 pages	TN-3618	
Drum	Approx. 45,000 pages (1 page/job)	DR-3608	
	Approx. 75,000 pages (3 pages/job)		
<b>DIMENSIONS AND WEIGHT</b>			
Dimensions (W x D x H)	373 x 388 x 257 mm		373 x 388 x 289 mm
Weight w/o Carton & Toner/Drum	9.5 kg		10.7 kg

\*1 Half speed and straight paper output with more than 105 g/m<sup>2</sup> (28 lb).

\*2 Measured when the machine is connected with the same network connection as the ENERGY STAR Ver. 3.1 test method.

\*3 In accordance with ISO7779.

\*4 In accordance with ISO/IEC 19752.



Working with you for a better environment  
www.brotherearth.com



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

www.brother.com.sg

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother International Corporation, Japan.