





PTD600 Professional **PC-Connectable Labelling Machine**

Desktop labelling machine with PC connection, label design software and colour screen.

- Large colour graphic display with backlight
- Wide PC style keyboard
- Automatic label cutter
- Built-in editable label designs for common labelling applications
- Prints 3.5, 6, 9, 12, 18 and 24mm labels
- Automatic tape detection for the label size



"The large colour LCD display makes it easy to design and preview my labels before printing. An automatic cutter, easy-to-type keyboard and high speed printing plus the ability to print labels from my PC or Mac ensures I keep my office organised through clear identification of important items."

brother P-touch D600

The professional stand-alone and PC connectable labelling machine

The P-touch D600VP creates durable fade-proof labels by using the easy-to-use integrated labelling functions, or directly from your PC or Mac thanks to the fully-featured P-touch Editor label design software.

A large colour LCD display with label preview function, and a wide PC-style keyboard make it easy to quickly produce your labels in various colour and size combinations. Alternatively, connect to your PC or Mac and be creative by using various fonts, text styles, images and frames on your label design. You can even link to text contained in a Microsoft Excel spreadsheet to quickly print many labels at once, thanks to its high-speed print capabilities and fully automatic cutter.



PC-style keyboard

0

your PC or Mac

* LR6/HR6. Batteries not supplied.

P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET(polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



















Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels. Common examples include:

- •Cables and plugs •CD's and DVD's •USB flash drives •Office equipment •File folders •Filing cabinets •Mail rooms
- •Staff and visitor name badges •Signage •Notice boards •Shelving •Telephone extension numbers









PTD600

In the box		Memory	
	PTD600 labelling machine 24mm black on white tape cassette (4m) AC adapter USB cable User guide	Maximum characters per label Label memory locations	280 99 (Maximum of 2,800 characters in total across all locations)
		PC Software	
Main features Display type PC interface Print speed High-resolution print mode Maximum tape width Maximum print height Cutter type Battery type	20 chrs x 3 lines colour LCD with print preview Windows: USB 1.1 / 2.0 / 3.0 ¦ Mac: USB 1.1 / 2.0 30mm / second Yes (180 x 360dpi) 24mm 18mm Automatic 6 x AA alkaline/rechargeable batteries (LR6/HR6 - not supplied)	Supported operating systems Cable labelling wizard Font faces Font styles Image import Screen capture Frames Barcodes Database connection support (Windows only)	Windows Vista® Windows® 7 Windows® 8 Mac OS X 10.7 - 10.9 Yes All installed true-type fonts 12 JPG, BMP, TIFF and other popular types Yes 154 21 protocols including 1D/2D barcodes Microsoft Excel, csv, mdb, txt
Label Creation		Visit http://support.brother.com for la	test software and drivers
Fonts	14 fonts ¦ 11 styles 6 to 48 point size	visit nup.//support.biother.com ion	
Max. lines per label Max. text blocks	7 5	General	
Symbols Frames	617 99	Supplies	
Barcodes Automatic numbering	9 protocols 1-99	Tape type Tape widths	TZe tape cassettes ¦ 3.5, 6, 9, 12, 18, 24mm
Copy printing Vertical text printing Pre-set formats Easy-print graphic label function	1-99 Yes (standard and bold) 30 templates 25 pre-designed labels	Optional accessories AC adapter	AD-E001 AC adapter
Download labels from internet Cable marking function	Yes Yes	Weights & Dimensions PTD600	201mm(w) x 192mm(h) x 86mm(d)







Brother International (HK) Ltd. Unit 620-622 & 626, 6/F, Ocean Centre, 5 Canton F

Unit 620-622 & 626, 6/F, Ocean Centre, 5 Canton Road, Tsim Sha Tsui, KLN, H.K. **☎ Hotline : 3187 0500** www.brother.com.hk