

Value meets reliability





30ppm High Print Speed



Automatic 2-sided Print/ Scan/Copy/Fax



Wired/Wireless LAN



Mobile Printing



Brother's Apps



Web Connect



250-sheet Paper Tray



2.7" LCD Screen



















| | HL-L2320D | HL-L2360DN | HL-L2365DW | DCP-L2520D | DCP-L2540DW | MFC-L2700D | MFC-L2700DW | MFC-L2740DW | |
|---|--|--|---|--|---|---|--|---|--|
| General | TIE EZOZOD | THE EZOCODIN | TIL LEGGODII | | | MII O EZITOD | - Wil O LETOODW | WII O LLI HODII | |
| Memory | 8MB 32MB | | 32MB | | | 32MB | | 64MB | |
| Interface | Hi- | Speed 2.0 | 10Deep T/100Deep TV IEEE 200 141-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7- | Hi-Speed 2.0 | 10Daga T/100Daga TV IEEE 000 111 /- /- /- /- /- /- /- /- /- /- /- /- /- | | Hi-Speed 2.0 | | |
| Network | - 10Base-T/100Base-TX | | 10Base-T/, IEEE 802.11b/g/n (Infrastructure Mode/ Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct) - 10Base-TX, IEEE 802. Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct) - 10Base-TX, IEEE 802. | | 10Base-T/100Base-TX, IEEE 802.11b/g/n (Infrastructure Mode/ Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct) | 10Base-T/100Base-TX, IEEE 802.11b/g/n (Infrastructure Mode/Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct) | | frastructure Mode/Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct) | |
| Mobile Print | - | Brother iPrint&Scan, AirPrint, Google Cloud Print | Brother iPrint&Scan, AirPrint, Google Cloud Print | - | Brother iPrint&Scan, AirPrint, Google Cloud Print | - | | Scan, AirPrint, Google Cloud Print | |
| Emulation Security Features | GDI - | PCL6 | PCL6 | GDI - | PCL6, BR-Script3 | GDI - | GDI - | PCL6, BR-Script3 Secure Print & Secure Function Lock 3.0 | |
| Control Panel | LED indicator and control button | 16 characters x 1 line LCD | 16 characters x 1 line LCD | | rs x 2 lines LCD | - 16 characters x 2 | 2 lines LCD | 2.7" Touch Screen Colour LCD | |
| Toner Save Mode | Save toner by printing documents in toner save mode | | Save toner by printing documents in toner save mode | | | Save toner by printing documents in toner save mode | | | |
| Print Function Print Speed A4 | Up to 30ppm | | Up to 30ppm | | | Up to 30ppm | | | |
| 2-Sided Print | Automatic | | Automatic | | | Automatic | | | |
| Print Resolution | 600 x 600 dpi, HQ1200 (2400 x 600 dpi) quality | | 600 x 600 dpi, HQ1200 (2400 x 600 dpi) quality | | | 600 x 600 dpi, HQ1200 (2400 x 600 dpi) quality | | | |
| First Print Out Time (From ready mode) Warm-up time (From sleep mode) | <8.5 secs <7 secs | | <8.5 secs <7 secs <9 secs | | secs | <8.5 secs <9 secs <10 secs | | <10 secs | |
| Copy Function | | X1 0000 | VI 0000 | ~ | , 5555 | 10 300 | | ×10 0000 | |
| Copy Speed | - | - | - | | o 30cpm | | Up to 30cpm | | |
| Copy Resolution First copy out time | | | - 600 x 600 dpi - <10 secs | | 600 x 600 dpi <10 secs | | | | |
| Multi-Copy | - | - | - | | Up to 99) | | Yes (Up to 99) | | |
| 2-Sided Copy | - | - | - | - | - | - | - | Automatic | |
| N-in-1 Copying | | | - Allows the user to compress 2 or 4 pages onto a single A4 sheet | | | Allows the user to compress 2 or 4 pages onto a single A4 sheet | | | |
| Scan Function | | | Connex along the to 600 x 2 400 dpi | | Scopper alone: Up to 600 v 2 400 doi: | | | | |
| Scan Resolution | _ | _ | _ | Scanner glass: Up to 600 x 2,400 dpi | Scanner glass: Up to 600 x 2,400 dpi ADF: Up to 600 x 600 dpi | | Scanner glass: Up to 600 x 2,400 dpi ADF: Up to 600 x 600 dpi | | |
| | | | | Enhanced: Up to 19,200 x 19,200 dpi | Enhanced: Up to 19,200 x 19,200 dpi | | Enhanced: Up to 19,200 x 19,200 dpi | | |
| 2-Sided Scan | - | - | - | M | anual | Manua | al | Automatic with Dual CIS Scanner | |
| Scan Functions | - | | - Enables users to scan documents to E-mail, Image, OCR , File and Sharepo | | ail, Image, OCR , File and Sharepoint (PC only) | Enables users to scan documents to E-mail, Image, OCR, File and Sharepoint (PC only) Enables users to scan documents to E-mail, Image, OCR, File, FTP, Email Server (by download) and Sharepoint (PC only) | | | |
| Fax Function | | | | | | | | | |
| Modem Speed | | - | - | - | - | | 33.6Kbps | Fax documents anywhere in the world over the Internet without the | |
| Internet Fax*** | - | - | - | - | - | - | - | use of a telephone line | |
| Speed & Group Dial | - | - | - | - | - | | Up to 200 speed locations and up to 20 groups | | |
| Out-of-paper reception Media Specifications | | | | | Up to 400 pages** (ITU-T Test Chart, Standard Resolution, JBIG) Up to 500 pages** (ITU-T Test Chart, Standard Resolution, JBIG) | | | | |
| | | | | 5 | | Standard paper tray - Plain paper, Thin Paper, Recycled Paper ADF (Automatic Document Feeder) - Plain Paper, Recycled Paper | | | |
| Media Types | Standard paper tray - Plain paper, Thin Paper, Recycled Paper | | Standard paper tray - Plain paper, Thin Paper, Recycled Paper | | ADF (Automatic Document Feeder) - Plain Paper, Recycled Paper | | | | |
| | 250-sheet standard paper tray 1-sheet manual feed slot | | 250-sheet standard paper tray 250-sheet standard paper tray 1-sheet manual feed slot 1-sheet manual feed slot 35-sheet ADF (Automatic Document Feeder) | | | 250-sheet standard paper tray | | | |
| Media Capacity | | | | | 1-sheet manual feed slot 35-sheet ADF (Automatic Document Feeder) | | | | |
| | | | | | Standard tray - A4, Letter, A5, A5(Long Edge), A6, Executive, | | | | |
| Media Sizes | Standard tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio | | Standard tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio | Standard tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio | Legal, Folio | Standard tray - A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio ADF - Width 147.3 to 215.9 mm, Length 147.3 to 355.6 mm | | | |
| Densir Outside | | | ADF - Width 147.3 to 215.9 mm, Length 147.3 to 355.6 mm | | | | | | |
| Paper Output Support Operating System | 1 | 00-sheet | | 100-sheet | | | 100-sheet | | |
| | | | Windows® XP Home Edition, XP Professional Edition, XP | | Windows® XP Home Edition, XP Professional Edition, XP | | | | |
| Windows [®] | Windows® XP Home Edition, XP Professional Edition, XP Pro x64 Edition (Network Print Only), Vista, Server 2008 R2 (| ofessional x64 Edition, Server 2003 (Network Print Only), Server 2003 (Network Print Only), 7, 8, 8.1, Server 2012 (Network Print Only), | Professional x64 Edition, Server 2003 (Network Print Only), Server 2003 x64 Edition (Network Print Only), Vista, Server 2008 (Network | Windows® XP Home Edition, XP Professional Edition, XP | professional x64 Edition, Server 2003 (Network Print Only), Server 2003 x64 Edition (Network Print Only), Vista, Server 2008 (Network | Windows® XP Home Edition, XP Professional Edition, XP | | , XP professional x64 Edition, Server 2003 (Network Print Only), Server 008 (Network Print Only), Server 2008 R2 (Network Print Only), 7, 8, 8.1, | |
| 30110 | | 2 (Network Print Only) | Only), Server 2008 R2, 7, 8, 8.1 (Network Print Only), Server 2012 (Network Print Only), Server 2012 R2 (Network Print Only) | professional x64 Edition, Vista, 7, 8, 8.1 | Print Only), Server 2008 R2 (Network Print Only), 7, 8, 8.1, Server 2012 (Network Print Only), Server 2012 R2 (Network Print Only) | professional x64 Edition, Vista, 7, 8, 8.1 | | t Only), Server 2012 R2 (Network Print Only) | |
| Macintosh | Mac OS X v10.7.5, 10.8.x, 10.9.x (Download only) | | Mac OS X v10.7.5, 10.8.x, 10.9.x (Download only) | | , | Mac OS X v10.7.5, 10.8.x, 10.9.x (Download only) | | | |
| Linux*** | | CUPS, LPD/LPRng (x86/x64 environment) CUPS, LPD/LPRng (x86/x64 environment) | | | | | | | |
| Network Utilities & Solutions BRAdmin Professional/ Light | _ | For LAN/WAN management of your printer fleet | For LAN/WAN management of your printer fleet | <u>-</u> | For LAN/WAN management of your printer fleet | | Earl AMAMANI | management of your printer fleet | |
| Web Based Management | - | Web browser print server management | Web browser print server management | - - | Web browser print server management | - - | | ser print server management | |
| IP filter | - | IP address based access restriction (lpv4 only) | IP address based access restriction (lpv4 only) | | IP address based access restriction (lpv4 only) | | | sed access restriction (Ipv4 only) | |
| Dimensions (WxDxH) With Carton | 441 x 286 x 504mm / 7.9kg | | 441 x 286 x 504mm / 7.9kg 567 x 517 x 414mm / 12.7kg | | 567 x 517 x 435mm / 14.2kg | 567 x 517 x 435mm / 14.4kg 567 x 517 x 435mm / 14.8kg | | 567 x 517 x 435mm / 14.8kg | |
| With Carton Without Carton | 356 x 360 x 183mm / 6.8kg | | 356 x 360 x 183mm / 6.8kg 409 x 398.5 x 267mm / 9.7kg 409 x 398 x 316.5mm / 11.2kg | | | 409 x 398 x 316.5mm / 11.4kg 409 x 398 x 316.5mm / 11.8kg | | | |
| Supplies | | | | | | | | | |
| Inbox Toners Standard Yield Toners | 2,600 pages* TN-2360: 1,200 pages* | | 2,600 pages* TN-2360: 1,200 pages* | | | 2,600 pages* TN-2360: 1,200 pages* | | | |
| High Yield Toners | TN-2380: 2,600 pages* | | TN-2380: 2,600 pages* | | | TN-2380: 2,600 pages* | | | |
| Other Supplies | Drum (DR-2355) Up to 12,000 pages^ | | Drum (DR-2355) Up to 12,000 pages^ | | | Drum (DR-2355) Up to 12,000 pages^ Drum (DR-2355) Up to 12,000^ | | | |
| Environment | Death FOW District FORM Class FAM Date Class AND Death FOW District FORM | | Deal SOM Deal of State of the Deal of the | | | Deadur COM Drintings F40M Closes C CM Dear Closes 4 4M | | | |
| Power Consumption Noise Level | Ready: 58W, Printing: 537W, Sleep: 5.4W, Deep Sleep: 0.4W Ready: 58W, Printing: 537W, Sleep: 5.4W, Deep Sleep: 0.5W 50dBA (Printing), 45dBA (Quiet) | | Ready: 58W, Printing: 455W, Sleep: 5.4W, Deep Sleep: 0.5W Ready: 60W, Printing: 510W, Sleep: 6.6W, Deep Sleep: 1.1W 50dBA (Printing), 45dBA (Quiet) 50dBA (Printing), 33dBA (Ready), 45dBA (Quiet) | | | Ready: 60W, Printing: 510W, Sleep: 6.6W, Deep Sleep: 1.1W Ready: 60W, Printing: 510W, Sleep: 6.6W, Deep Sleep: 1.2W 50dBA (Printing), 33dBA (Ready), 45dBA (Quiet) | | | |
| Maximum Monthly Print Volume | 10,000 pages | | (| 10,000 pages | (),, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 10,000 pages | | | |
| | | | | | | | | | |

Boost your productivity with Brother's new range of cost-efficient monochrome laser printer and Multi-Function Centre series. With high-speed printing of up to 30 pages per minute (ppm) and multiple valuable features, you will have a printing experience like no other. Plus, you will get a 2,600-page high yield toner that comes with your printer or Multi-Function Centre.

EFFICIENCY

Save Paper and Time with Automatic 2-Sided Print

Print 2-sided pages without manually feeding the paper for back-to-back print jobs. In addition, Brother's Dual CIS Scanner also allows automatic 2-sided Print/Scan/Copy/Fax*.

250-Sheet Dust-Free Paper Tray

Protect papers from dust with an enclosed paper tray that holds up to 250-sheet of papers.

Up to 30ppm High Print Speed

Get your printing done in a flash at a fast laser printing speed of up to 30ppm.

Toner Save Mode

Toner Save Mode allows you to reduce printing costs due to lower toner usage when printing draft-quality documents.

*Only available for MFC-L2740DW



Network Adminstration Tools

Eliminate excessive downtime with Brother networking administration tools (BRAdmin Professional software) which provides status monitoring and configuration capabilities.

CONNECTIVITY

Connect Wirelessly[^]

Connect your mobile device to your machine effortlessly with one-touch wireless set-up.

Simply connect your machine to any WiFi compatible mobile device without the need for a router or hotspot, and you are ready to print from or scan to your mobile device directly. WiFi direct makes it easy to print emails, webpages and documents.

^Only available for HL-L2365DW, DCP-L2540DW, MFC-L2700DW, MFC-L2740DW

Mobile Print

Use the iPrint&Scan app, Apple Airprint or Google Cloud Print to print and scan straight from your iPhone, iPad, Android™ device or Windows® Mobile.

Web Connect*

Print from or scan to a range of cloud-based services such as Box, OneDrive, Google Drive[™], EVERNOTE[®], Dropbox, Facebook, Flickr[®] or Picasa[™] straight from your Multi-Function Centre.



Brother's Apps*

Experience efficiency on a new level with an ever-evolving range of applications that adds greater flexibility and productivity to the way you work.

*Only available for MFC-L2740DW

brother at your side





nt One-stop centre for free downloadable templates





Brother strongly recommends the use of genuine Brother consum products only. Benefits include better quality print, greater yer consumable, protection of your machine from damages achievement of optimum performance, As a precaultion, please that your machine warranty may not cover any damages arising the use of nex-operating recommended.

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies.

Copyright Brother International Corporation, Japan. All Rights Reserved.

Brother International (HK) Ltd.

Unit 620-622 & 626, 6/F, Ocean Centre, 5 Canton Road, Tsim Sha Tsui, KLN, H.K.

★ Hotline: 3187 0500

www.brother.com.hk